

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	370	(707/741) .CCLS.	US-PGPUB; USPAT	OR	OFF	2010/09/10 15:39
L2	2	1 and uddi	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/10 15:39
S179	0	ldap with uuid with entry	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:15
S180	3	ldap same uuid with entry	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:15
S181	6	ldap and uuid with entry	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:15
S184	6	entry with uuid and directory adj server	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:15
S185	128	entry with (uuid (unique global) adj identifier) and directory adj server	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:15
S186	376	entry with (uuid (unique global) adj identifier) and (ldap directory with server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:15

S187	78	entry with (uuid (unique global) adj identifier) with (creat\$4 generat\$4) and (ldap directory with server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:15
S188	799	(719/330) .CCLS.	US-PGPUB; USPAT	OR	OFF	2010/09/03 11:15
S189	861	(719/316) .CCLS.	US-PGPUB; USPAT	OR	OFF	2010/09/03 11:15
S193	88	object near3 (key reference identifier) with (generat\$3 creat \$3) with (pre \$define\$1 define\$1 default) and (web adj service uuid universal\$4 adj unique global\$3 adj unique)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:15
S195	234	object near3 (key reference identifier) with (generat\$3 creat \$3) same (uuid unique adj identifier global \$3 adj unique guid) and (web adj service web adj server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:15
S196	277	object near3 (key reference identifier) near5 (generat\$3 creat\$3 assign\$3 assignment) same (uuid unique adj identifier global \$3 adj unique guid) and (web adj service web adj server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:15

S197	292	object near3 (key reference identifier) near5 (generat\$3 creat\$3 assign\$3 assignment) and (web adj service) and (uuid unique adj identifier guid global adj identifier)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:15
S198	153	(object unique) near3 (key reference identifier) near5 (generat\$3 creat\$3 assign\$3 assignment) same (web adj service)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:15
S199	309	object adj (key identifier reference) with (generat\$3 creat\$3) same (default pre\$defin\$2 exist\$3) with (key identifier reference)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:15
S200	493	object adj (key identifier reference) with (generat\$3 creat\$3) same (default pre\$defin\$2 exist\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:15
S201	18	uddi adj object	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:15
S202	125	uddi and uuid	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:15
S204	60	uddi and uuid with (generat\$3 creat\$3 new assign\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:15

S218	134	uddi with ldap	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:15
S244	1338	(719/315).CCLS.	US-PGPUB; USPAT	OR	OFF	2010/09/03 11:15
S249	37	uddi with directory and uuid	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:15
S250	34	(Universal adj Description adj Discovery uddi) adj (class instance component module object bridge)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:15
S252	62	object near3 (key reference identifier) with (generat\$3 creat \$3) with (pre \$define\$1 define\$1 default) and (web adj service uuid)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:15
S259	7	ldap with uuid	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:15
S260	0	ldap with uuid with entry	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:15
S261	3	ldap same uuid with entry	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:15
S262	6	ldap and uuid with entry	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:15

S269	618	uddi with directory	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:51
S270	128	uddi with directory and (uuid key unique adj identifier) with (creat\$3 generat\$4)	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:51
S271	145	uddi with directory and (uuid key unique adj identifier) with (creat\$3 generat\$4 assign \$4)	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:52
S272	8	uddi with directory and (uuid key unique adj identifier) with (creat\$3 generat\$4 assign \$4) with (child parent)	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:52
S273	10	uddi and (uuid key unique adj identifier) with (creat\$3 generat\$4 assign\$4) with (child parent)	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2010/09/03 11:56
S274	18	uddi with directory with key	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2010/09/06 09:45

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S275	13	(719/315).CCLS.	UPAD	OR	OFF	2010/09/06 09:44
S276	3	(719/316).CCLS.	UPAD	OR	OFF	2010/09/06 09:44
S277	20	(719/330).CCLS.	UPAD	OR	OFF	2010/09/06 09:44

S278	166	entry with (uuid (unique global) adj identifier) and (ldap directory with server)	USPAT; UPAD	OR	ON	2010/09/06 09:46
S279	166	entry with (uuid (unique global) adj identifier) and (ldap directory with server)	USPAT; UPAD	OR	ON	2010/09/06 09:47

9/10/10 3:40:30 PM

C:\Documents and Settings\LZhen\My Documents\EAST\workspaces\10648580b.wsp